


DISTRIBUTION FRAME

RDF SERIES 19" DISTRIBUTION FRAME

FEATURES:


- Modular design, easily assembled and supplied in flat pack
- 19" standard installation
- Cable management panels include front and rear reversible doors
- Adjustable joining kit available to turn a 2 post - 4 post frame. 600mm - 1050mm (RDF-AJK)
- Easy access to fix and maintain
- Various optional installations according to requirements: cable management, cantilever shelf etc.
- Stable and strong
- Surface finish: degreasing, phosphoric and powder coated
- Complies with NSI/EIA RS-310-D, IEC297-2, DIN41491; PART1, DIN41494, GB/T3047.2-92 standards
- Loading capacity 150kg
- 2 Year Warranty. Subject to use within the static loading specifications, operation within normal environmental conditions and adequate and appropriate mounting installation




MODEL CODE	W x D x H (EXTERNAL)	HEIGHT	DESCRIPTION
RDF37U	530 x 150 x 1800mm	37RU	Distribution Frame. Supplied with Top.
RDF37CM-150	150 x 470 x 1800mm	37RU	Dual 150mm Wide Finger Duct Cable Management Panels for RDF37U Frame. Supplied with Side Panel.
RDF37CM-300	300 x 470 x 1800mm	37RU	Dual 300mm Wide Finger Duct Cable Management Panels for RDF37U Frame. Supplied with Side Panel.
RDF47U	530 x 150 x 2200mm	47RU	47RU Distribution Frame. Supplied with Hood.
RDF47CM-150	150 x 470 x 2200mm	47RU	Dual 150mm Wide Finger Duct Cable Management Panels for RDF47U Frame. Supplied with Side Panel.
RDF47CM-300	300 x 470 x 2200mm	47RU	Dual 300mm Wide Finger Duct Cable Management Panels for RDF47U Frame. Supplied with Side Panel.
RDF-AJK	4 Piece Adjustable Joining Kit For 4 Post Frame Configuration. (600mm to 1050mm)		
RDF-HOOD	Cable Management Hood.		

DISTRIBUTION FRAME

RDF SERIES 19" DISTRIBUTION FRAME



Mounting dimension



S/N	SPECIFICATION	QTY
1	Side cover	2
2	150mm width finger ducts cable management	4
3	Top cover	2
4	Open rack	2
5	300mm with finger ducts cable management slots	2



DISTRIBUTION FRAME

RDF SERIES 19" DISTRIBUTION FRAME

