

## NETWORK SERVER CABINET

SR SERIES 19" NETWORK SERVER CABINETS 800 WIDE


### FEATURES:

- Supplied with fixed shelves, fans, cage nuts, castors, levelling feet
- Static loading: 800kg
- Width: 800mm
- Depth: 800mm, 900mm, 1000mm, 1200mm
- Optional plinths available to bolt cabinet to floor
- Optional vertical cable tray available
- Optional baying kit available for cabinet interconnection (RABK)
- Optional mesh front door available
- Vertical mounting profile can be adjusted in 25mm increments
- Supplied complete or in fast assembly flat pack format (FP codes)
- Material: SPCC quality cold rolled steel, gloss black colour, easy clean surface
- Mounting profile 2.0mm, mounting angle 1.5mm, others 1.2mm
- Surface finish: Degrease, acid pickling, rust prevention, parkerizing, pure water cleaning and static electricity plastic painting
- Complies with IEC-60297, ANSI/EIA RS-310-D, IEC297-2, DIN41491;PART1, DIN41494; PART7, GB/T3047.2-92, IP20 rated
- Compatible with 19" International Standard and Metrical and ETSI standards
- 2 Year Warranty on cabinets. Subject to use within the static loading specifications and operation within normal environmental conditions
- 1 Year Warranty on fans



## NETWORK SERVER CABINET SR SERIES 19" NETWORK SERVER CABINETS 800 WIDE

Ceiling mounted drop  
in 4 way fan tray fitted  
with dust filters




Top mounted  
removable fan tray



Top cable entry front and back, also  
dual side entry on 800mm wide models.



Vertical uprights,  
adjustable forward  
and backward



Dual rear  
mesh doors




Zinc coated  
vertical uprights  
with RU markings



2.5" heavy duty  
castor wheels  
and levelling feet

Lockable, removable  
side panels



Bottom cable entry



Universal Key  
for all locks



Multiple grounding pins to  
earth doors and side panels

## NETWORK SERVER CABINET

### SR SERIES 19" NETWORK SERVER CABINETS 800 WIDE



800mm wide models feature dual front mounted 100mm hinged vertical cable management bars



MODEL CODE	W X D X H (EXTERNAL)	CAPACITY	INCLUDES	M <sup>3</sup>	KG
RSR18-8X8	800 x 800 x 1010mm	18RU	1x Fixed Shelf, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and Dual 100mm front vertical cable management	0.76	78
RSR27-8X8	800 x 1000 x 1350mm	27RU	1x Fixed Shelf, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and Dual 100mm front vertical cable management	1.08	90
RSR42-8X8	800 x 800 x 2080mm	42RU	3x Fixed Shelf, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and Dual 100mm front vertical cable management	1.62	148
RSR42-8X9	800 x 900 x 2100mm	42RU	3x Fixed Shelves, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and Dual 100mm front vertical cable management	1.82	150
RSR42-8X10	800 x 1000 x 2100mm	42RU	3x Fixed Shelves, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and Dual 100mm front vertical cable management	2.01	162
RSR45-8X8	800 x 800 x 2205mm	45RU	3x Fixed Shelves, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and Dual 100mm front vertical cable management	2.14	168
RSR45-8X10	800 x 1000 x 2205mm	45RU	3x Fixed Shelves, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and dual 100mm front vertical cable management.	2.14	168
RSR45-8X12	800 x 1200 x 2205mm	45RU	3x Fixed Shelves, 4x Fans, 25x Cage Nuts, 4x Castors and 4x Levelling Feet Dual front and rear mesh doors and Dual 100mm front vertical cable management	2.30	172

## DYNAMIX REPLACEMENT DROP IN FAN TRAY FOR SR SERIES CABINETS. INCLUDES THERMOSTAT FEATURE

Model Code: RAFANKITSRT

