

## Media Converter Rack

MODEL CODE	TYPE
------------	------

LAN-RACK-16	16 Slots
LAN-RACK-PSU	Optional Redundant PSU

16 Slot Media Converter Rack with optional Redundant Power Supply Unit

### FEATURES

- 16x Module Slots For CTS Media Converters
- 2x Slide-in hot-swappable power supply unit
- 3x hot-Swappable Fans
- 19" Rack mountable 2U Height
- LED indication for primary and backup power supply
- Power supply load sharing design
- Plug and play
- Dimensions 440 x 385x 88 mm (WxDxH)
- 2 Year Warranty



**CTS**

## Fibre to Gigabit Ethernet Unmanaged

MODEL CODE	CONNECTOR	DISTANCE
------------	-----------	----------

LAN-3002BTFC	SC	Multi-mode 550M
LAN-3002BTFC10	SC	Single-mode 10KM
LAN-3002SFP	SFP slot	

### FEATURES

- Fully compliant with IEEE 802.3z 1000Base-SX & IEEE 802.3ab 1000Base-T standards
- Supports auto MDI-MDIX on copper port
- Supports 2Gbps Full duplex
- Extended fibre optic distance from 550m to 10km
- Plug and play
- Fully compatible with LAN-RACK-16 Series
- 2 Year Warranty



LAN-3002BTFC



LAN-3002SFP

**CTS**

## Fibre to Fast Ethernet Unmanaged

MODEL CODE	CONNECTOR	DISTANCE
------------	-----------	----------

LAN-100BTFT	ST	Multi-mode 2KM
LAN-100BTFC	SC	Multi-mode 2KM
LAN-100BTFC30	SC	Single-mode 30KM

### FEATURES

- 10/100TX to 100FX
- Fully compliant with IEEE802.3 and IEEE802.3u standards
- Extended fibre optic distance from 2km to 30km
- External power supply
- Metal case
- Plug and play
- Fully compatible with LAN-RACK-16 Series
- 2 Year Warranty



**CTS**

## Managed Media Converter

MODEL CODE	TYPE
------------	------

LAN-3112BTFC	Gigabit 10/100/1000 UTP
--------------	-------------------------

Gigabit 10/100/1000 UTP to 1000Base-X Single-mode SC Fibre Managed Converter - 10 KM

### FEATURES

- 10/100/1000Base-T to 1000Base-X media converter
- Stand-alone converter allows connection of Ethernet twisted-pair network to optical-fibre network to a maximum distance of 10Km
- Fully compliant with IEEE 802.3, 802.3u, 802.3ab & 802.3z standards
- Easy installation & operation
- Manage and monitor the real time operation status via SNMP or WEB management interface
- Fully compatible with LAN-RACK-16 Series
- 2 Year Warranty



**CTS**